Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	"20040123650".pn.	US-PGPUB; USPAT	OR	OFF	2005/05/10 12:13
L2	1	I1 and (lubricant\$1 or lubricat\$3 or oil\$1)	US-PGPUB; USPAT	OR	OFF	2005/05/10 12:13
L3	1	I2 and additive\$1	US-PGPUB; USPAT	OR	OFF	2005/05/10 13:19
L4	48	wollenberg-robert-hin.	US-PGPUB; USPAT	OR	OFF	2005/05/10 13:20
L5	45	I4 and (lubricant\$1 or lubricat\$3 or oil\$1)	US-PGPUB; USPAT	OR	OFF	2005/05/10 13:20
L6	6	I5 and (combinatorial or library or libraries or throughput)	US-PGPUB; USPAT	OR	OFF	2005/05/10 13:23
L7	7	balk-thomas-jin.	US-PGPUB; USPAT	OR	OFF	2005/05/10 13:23
L8	1	17 not 16	US-PGPUB; USPAT	OR	OFF	2005/05/10 13:24
L9	1	"6455595".pn.	US-PGPUB; USPAT	OR	OFF	2005/05/10 13:26
L10	3327	chevron.as.	US-PGPUB; USPAT	OR	OFF	2005/05/10 13:26
L11	240020	combinatorial or library or libraries or throughput	US-PGPUB; USPAT	OR	OFF	2005/05/10 13:27
L12	134	l10 and l11	US-PGPUB; USPAT	OR	OFF	2005/05/10 13:27
L13	129038	combinatorial or library or libraries	US-PGPUB; USPAT	OR	OFF	2005/05/10 13:27
L14	11	110 and 113	US-PGPUB; USPAT	OR	OFF	2005/05/10 13:31
L15	52	(chevron adj oronite).as.	US-PGPUB; USPAT	OR	OFF	2005/05/10 13:31
L16	0	l15 and l13	US-PGPUB; USPAT	OR	OFF	2005/05/10 13:31
L17	7822	base adj oil\$1	US-PGPUB; USPAT	OR	OFF	2005/05/10 13:31
L18	3293	l17 same additive\$1	US-PGPUB; USPAT	OR	OFF	2005/05/10 13:32
L19	5	18 same 13	US-PGPUB; USPAT	OR	OFF	2005/05/10 13:32
L20	0	l19 not l6	US-PGPUB; USPAT	OR	OFF	2005/05/10 13:32
L21	11	118 and 113	US-PGPUB; USPAT	OR	OFF	2005/05/10 13:32
L22	5	l21 not l6	US-PGPUB; USPAT	OR	OFF	2005/05/10 13:36

Search History 5/10/05 3:37:00 PM Page 1
C:\Documents and Settings\MWallenhorst\My Documents\EAST\workspaces\10699507.wsp

L23	288	I18 same stability	US-PGPUB; USPAT	OR	OFF	2005/05/10 13:37
L24	189	123 same (wear or storage or	US-PGPUB:	OR	OFF	2005/05/10 13:37
		oxidation or oxidative)	USPAT			
L25	88	I24 same (sediment\$5 or color\$3 or colour\$3 or viscosity or deposit\$1)	US-PGPUB; USPAT	OR	OFF	2005/05/10 13:38
L26	0	I25 same (ir or infrared or calorimetry)	US-PGPUB; USPAT	OR	OFF	2005/05/10 13:38
L27	1	l25 same (light or scatter\$3 or opacity)	US-PGPUB; USPAT	OR	OFF	2005/05/10 13:39
L28	3	l25 and "436"/\$.ccls.	US-PGPUB; USPAT	OR	OFF	2005/05/10 13:39
L29	1469681	I25 sane (screen\$3 or test\$3)	US-PGPUB; USPAT	OR	OFF	2005/05/10 13:40
L30	29	I25 same (screen\$3 or test\$3)	US-PGPUB; USPAT	OR	OFF	2005/05/10 13:40
L31	25	130 not 16	US-PGPUB; USPAT	OR	OFF	2005/05/10 13:53
L32	2187	l18 same (lubricant\$1 or lubricat\$3)	US-PGPUB; USPAT	OR	OFF	2005/05/10 13:53
L33	167	I32 same stability	US-PGPUB; USPAT	OR	OFF	2005/05/10 13:53
L34	14	I33 same storage	US-PGPUB; USPAT	OR	OFF	2005/05/10 13:54
L35	4	I34 same (sediment\$5 or color\$3 or colour\$3 or viscosity)	US-PGPUB; USPAT	OR	OFF	2005/05/10 13:54
L36	1	135 not 16	US-PGPUB; USPAT	OR	OFF	2005/05/10 13:55
L37	125	(stabilit\$3 and (lubricant\$1 or lubricat\$3 or oil\$1)).ti.	US-PGPUB; USPAT	OR	OFF	2005/05/10 13:55
L38	25	137 and wear	US-PGPUB; USPAT	OR	OFF	2005/05/10 13:55
L39	18	l38 and (oxidation or oxidative)	US-PGPUB; USPAT	OR	OFF	2005/05/10 13:56
L40	7	139 and storage	US-PGPUB; USPAT	OR	OFF	2005/05/10 14:03
L41	7377	additive\$1 same wear	US-PGPUB; USPAT	OR	OFF	2005/05/10 14:03
L42	1298	I41 same (oxidation or oxidative)	US-PGPUB; USPAT	OR	OFF	2005/05/10 14:04
L43	16	l42 same (storage)	US-PGPUB; USPAT	OR	OFF	2005/05/10 14:04
L44	5	l43 same (lubricant\$1 or lubricat\$3 or oil\$1)	US-PGPUB; USPAT	OR	OFF	2005/05/10 14:04

L45	5	144 not 16	US-PGPUB; USPAT	OR	OFF	2005/05/10 14:10
L46	779272	lubricant\$1 or lubricat\$3 or oil\$1	US-PGPUB; USPAT	OR	OFF	2005/05/10 14:10
L47	89326	I46 same additive\$1	US-PGPUB; USPAT	OR	OFF	2005/05/10 14:10
L48	290	I47 same (storage adj stability)	US-PGPUB; USPAT	OR	OFF	2005/05/10 14:10
L49	78	I48 same (sediment\$5 or color\$3 or colour\$3 or viscosity)	US-PGPUB; USPAT	OR	OFF	2005/05/10 14:11
L50	14	149 same temperature	US-PGPUB; USPAT	OR	OFF	2005/05/10 14:11
L51	13	I50 not I6	US-PGPUB; USPAT	OR	OFF	2005/05/10 14:18
L52	0	l49 same (light adj scatter\$3)	US-PGPUB; USPAT	OR	OFF	2005/05/10 14:18
L53	0	l49 same scatter\$3	US-PGPUB; USPAT	OR	OFF	2005/05/10 14:18
L54	0	I49 same opacity	US-PGPUB; USPAT	OR	OFF	2005/05/10 14:18
L55	2577	l47 same (stor\$3)	US-PGPUB; USPAT	OR	OFF	2005/05/10 14:19
L56	539	I55 same stabil\$3	US-PGPUB; USPAT	OR	OFF	2005/05/10 14:19
L57	22	I56 same sediment\$5	US-PGPUB; USPAT	OR	OFF	2005/05/10 14:19
L58	0	157 same (scatter\$3 or opacity)	US-PGPUB; USPAT	OR	OFF	2005/05/10 14:19
L59	2	I48 same (scatter\$3 or opacity)	US-PGPUB; USPAT	OR	OFF	2005/05/10 14:20
L60	180	l47 same (light adj scatter\$3)	US-PGPUB; USPAT	OR	OFF	2005/05/10 14:20
L61	1	I60 same (sediment\$5 or deposit\$1)	US-PGPUB; USPAT	OR	OFF	2005/05/10 14:22
L62	11	I60 same stabil\$3	US-PGPUB; USPAT	OR	OFF	2005/05/10 14:22
L63	11	162 not 16	US-PGPUB; USPAT	OR	OFF	2005/05/10 14:33

L64	73229	l46 same (antioxidant\$1 or anti-wear or antiwear or detergent\$1 or (rust adj inhibitor\$1) or dehazing or demulsifying or (friction adj modifier\$1) or depressant\$1 or antifoaming or (corrosion adj inhibitor\$1) or corrosion-inhibitor\$1 or dispersant\$1 or (pressure adj agent\$1))	US-PGPUB; USPAT	OR	OFF	2005/05/10 14:35
L65	4590	l64 and l13	US-PGPUB; USPAT	OR	OFF	2005/05/10 14:36
L66	39	l64 same l13	US-PGPUB; USPAT	OR	OFF	2005/05/10 14:36
L67	37	166 not 16	US-PGPUB; USPAT	OR	OFF	2005/05/10 14:43
L68	1	"20030100453".pn.	US-PGPUB; USPAT	OR	OFF	2005/05/10 15:18
L69	1	"3852207".рп.	US-PGPUB; USPAT	OR	OFF	2005/05/10 15:19
L70	2187	l18 same (lubricant\$1 or lubricat\$3)	US-PGPUB; USPAT	OR	OFF	2005/05/10 15:20
L71	60	I70 same (plurality or multipl\$5)	US-PGPUB; USPAT	OR	OFF	2005/05/10 15:20
L72	48	I71 same composition\$1	US-PGPUB; USPAT	OR	OFF	2005/05/10 15:20
L73	42	172 not 16	US-PGPUB; USPAT	OR	OFF	2005/05/10 15:26
L74	5	l18 same l13	US-PGPUB; USPAT	OR	OFF	2005/05/10 15:26
L75	0	174 not 16	US-PGPUB; USPAT	OR	OFF	2005/05/10 15:26
L76	86	l18 same (plural\$3 or multiple or multiplicity)	US-PGPUB; USPAT	OR	OFF	2005/05/10 15:27
L77	17	I76 same (well\$1 or receptacle\$1 or tube\$1 or vial\$1 or container\$1)	US-PGPUB; USPAT	OR	OFF	2005/05/10 15:27
L78	12	177 not 16	US-PGPUB; USPAT	OR	OFF	2005/05/10 15:27

WEST Search History

Hide Items Restore Clear Cancel

DATE: Tuesday, May 10, 2005

Hide?	<u>Set</u> <u>Name</u>	<u>e</u> Query				
$DB=EPAB,JPAB,DWPI,TDBD;\ PLUR=YES;\ OP=ADJ$						
	L36	L35 and (multipl\$5 or plural\$3)	0			
	L35	L34 and (storage or oxidation or oxidative or wear)	43			
	L34	L33 and stability	221			
	L33	111 and screen\$3	6062			
	L32	130 and screen\$3	0			
	L31	L30 and l12	0			
	L30	L29 and additive\$1	1697			
	L29	base adj oil\$1	8238			
	L28	L27 and l12	0			
	L27	refrigeration adj lubricant\$1	32			
	L26	L25 and 112	3			
	L25	(transmission adj fluid\$1) or (hydraulic adj fluid\$1) or (gear adj oil\$1) or (marine adj cylinder) or (marine adj oil\$1) or (compressor adj oil\$1) or (refrigeration adj oil\$1)	29053			
	L24	L23 and 112	1			
	L23	lubricating adj oil\$1	38254			
	L22	wo-200207876-\$.did.	1			
	L21	wo-200207870-\$.did.	1			
	L20	wo-0207870-\$.did.	0			
	L19	L18 and (transmission or hydraulic or gear or marine or compressor or refrigeration)	0			
	L18	116 not L17	40			
	L17	L16 and stability	4			
	L16	114 not L15	44			
	L15	L14 and additive\$1	6			
	L14	L13 and screen\$3	50			
	L13	111 and L12	258			
	L12	combinatorial or library or libraries or (high adj throughput)	36500			
	Lll	lubricat\$3 or lubricant\$1 or oil\$1	771241			
\square	L10	wo-02007870-\$.did.	0			
	L9	wo-2002007870-\$.did.	0			

END OF SEARCH HISTORY

wollenberg-robert-h-.in.

Ll

Search History Transcript

Page 2 of 2

4

(FILE 'HOME' ENTERED AT 09:12:05 ON 10 MAY 2005) FILE 'CAPLUS, CAOLD, MEDLINE, BIOSIS' ENTERED AT 09:12:31 ON 10 MAY 2005 E WOLLENBERG ROBERT H/AU 42 S E3 L15 S L1 AND (THROUGHPUT OR COMBINATORIAL OR LIBRAR?) L2L35 DUP REMOV L2 (0 DUPLICATES REMOVED) L423 S L1 AND (LUBRICAT? OR LUBRICANT? OR OIL?) 23 DUP REMOV L4 (0 DUPLICATES REMOVED) E BALK THOMAS J/AU 1.6 13 S E1-E4 L7 13 DUP REMOV L6 (0 DUPLICATES REMOVED) 8 S L7 NOT L1 L8 93594 S (LUBRICAT? OR LUBRICANT?) AND OIL? L9 29119 S L9 AND ADDITIVE? L10 458482 S COMBINATORIAL OR HIGH THROUGHPUT OR LIBRARY OR LIBRARIES OR A L11 L12 20 S L10 AND L11 L13 20 DUP REMOV L12 (0 DUPLICATES REMOVED) L14 17 S L13 NOT L2 FILE 'STNGUIDE' ENTERED AT 09:35:08 ON 10 MAY 2005 FILE 'CAPLUS, CAOLD, MEDLINE, BIOSIS' ENTERED AT 09:40:27 ON 10 MAY 2005 87 S L9 AND L11 L15 67 S L15 NOT L12 L16 L17 67 DUP REMOV L16 (0 DUPLICATES REMOVED) L18 247461 S COMBINATORIAL OR HIGH THROUGHPUT OR LIBRARY OR LIBRARIES L19 37 S L9 AND L18 L20 37 DUP REMOV L19 (0 DUPLICATES REMOVED) L21 32 S L20 NOT L2 67818 S LUBRICATING OIL? L22 L23 29 S L22 AND L18 L24 29 DUP REMOV L23 (0 DUPLICATES REMOVED) L25 5 S L24 NOT L21 L26 0 S L25 NOT L2 L27 11096 S TRANSMISSION FLUID? OR HYDRAULIC FLUID? OR GEAR OIL? OR MARIN L28 8 S L27 AND L18 L29 8 DUP REMOV L28 (0 DUPLICATES REMOVED) L30 8 S L29 NOT L2 FILE 'STNGUIDE' ENTERED AT 10:14:32 ON 10 MAY 2005 FILE 'CAPLUS, CAOLD, MEDLINE, BIOSIS' ENTERED AT 10:15:36 ON 10 MAY 2005 L31 446 S L22 AND SCREEN? L32 10 S L31 AND (ARRAY? OR THROUGHPUT) 10 DUP REMOV L32 (0 DUPLICATES REMOVED) L33 . L34 589 S L9 AND SCREEN? L35 10 S L34 AND (ARRAY? OR THROUGHPUT) L36 0 S L35 NOT L33 L37 83 S L27 AND SCREEN? L38 1 S L37 AND (ARRAY? OR THROUGHPUT) L39 9 S L34 AND (STORAGE STABILITY OR OXIDATION STABILITY OR WEAR ST L40 9 DUP REMOV L39 (0 DUPLICATES REMOVED) FILE 'STNGUIDE' ENTERED AT 10:26:50 ON 10 MAY 2005 FILE 'CAPLUS, CAOLD, MEDLINE, BIOSIS' ENTERED AT 10:29:05 ON 10 MAY 2005 L41 1 S L37 AND (STORAGE STABILITY OR OXIDATION STABILITY OR WEAR ST L42 228 S L9 AND STORAGE STABILITY L43 48 S L42 AND (SEDIMENTATION OR COLOR OR COLOUR OR VISCOSITY) 48 DUP REMOV L43 (0 DUPLICATES REMOVED) L44

		•	
•			
	L45	0	S L44 AND (PLURAL? OR MULTIPL?)
	L46	23	S L44 AND ADDITIVE?
	L47 ·	3	S L43 AND (LIGHT OR OPACITY)
	L48	0	S L43 AND SCATTER?
	L49	291	S.L9 AND OXIDATION STABILITY
	L50	14	S L49 AND DEPOSIT?
	L51	14	DUP REMOV L50 (0 DUPLICATES REMOVED)
	L52	0	S L51 AND SUBSTRATE?
	L53	1	S L51 AND (INFRARED OR IR)
	L54	13	S L51 NOT L53
	L55	9260	S BASE OIL?
	L56	4629	S L55 AND ADDITIVE?
	L57	3	S L56 AND L18
	L58	38	S L56 AND SCREEN?
	L59	5	S L58 AND (STORAGE STABILITY OR OXIDATION STABILITY OR OXIDATI
	L60	0	S L49 AND FOURIER TRANSFORM
	L61	13	S L56 AND FOURIER TRANSFORM
	L62	13	S L61 AND (INFRARED OR IR)
	L63	4	S L58 AND (MULTIPL? OR PLURAL?)
	1.64	4	S L56 AND L11

·

.